

REMOVER & DEGREASER

Page: 1 Revision date: 12/06/2018

Revision No: 9

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: REMOVER & DEGREASER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Multi-Purpose Cleaner

1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740
Email:	customer-service@rocol.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

Section 2: Hazards identification

2.1. Classification of the substance or mixture				
Classification under CLP:	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Flam. Aerosol 1: H222;			
	Skin Irrit. 2: H315; Skin Sens. 1: H317; -: H229			
Most important adverse effects:	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin			
	irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to			
	aquatic life. Very toxic to aquatic life with long lasting effects.			
2.2. Label elements				

Label elements:

Hazard statements:	H222: Extremely flammable aerosol.		
	H229: Pressurised container: May burst if heated		
	H315: Causes skin irritation.		
	H317: May cause an allergic skin reaction.		
	H319: Causes serious eye irritation.		
	H400: Very toxic to aquatic life.		
	H410: Very toxic to aquatic life with long lasting effects.		

REMOVER & DEGREASER

Page: 2

Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark
	GHS09: Environmental
Signal words:	Danger
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P251: Do not pierce or burn, even after use.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352: IF ON SKIN: Wash with plenty of water/.
	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\rm o}{\rm C}$
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

D-LIMONENE

EINECS	CAS	PBT / WEL	PBT / WEL CLP Classification	
227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1:	70-90%
			H400; Aquatic Chronic 1: H410	

PROPAN-2-OL - REACH registered number(s): 01-2119457558-25

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	10-30%
			STOT SE 3: H336	

HYDROCARBONS, C13-C18, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS - REACH registered number (s): 01-2119485032-45-0001

921-050-8 - Substance with a Community workplace exposure limit. Asp. Tox. 1: H304; -: EUH066 1-10%
--

CARBON DIOXIDE AEROSOL PROPELLANT - REACH registered number(s): EXEMPT - ANNEX IV / V

204-696-9124-38-9Substance with a Community workplace exposure limit.Press. Gas: H280	1-10%	
--	-------	--

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

REMOVER & DEGREASER

Page: 3

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide.

Alcohol resistant foam. Dry chemical powder. Use water spray to cool containers. Do Not use a water jet

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

 Personal precautions:
 Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

 Eliminate all sources of ignition. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

REMOVER & DEGREASER

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits: Respirable dust State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 400 ppm, 999 mg/m3 500 ppm, 1250 mg/m3

HYDROCARBONS, C13-C18, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

UK	500 mg/m3	-	-	-		
CARBON DIOXIDE AEROSOL PROPELLANT						
UK	5000ppm 9150mg/m3	15000ppm 27400mg/m3	-	-		

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Impermeable gloves.Eye protection:Safety glasses with side-shields. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.Environmental:No data available

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Aerosol

REMOVER & DEGREASER

			Page: 5
Colour:	Colourless		
Odour:	Characteristic odour		
Evaporation rate:	Fast		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Not miscible		
Viscosity:	Non-viscous		
Boiling point/range°C:	>95	Melting point/range°C:	<-20
Flammability limits %: lower:	1	upper:	6
Flash point°C:	-7	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	>200	Vapour pressure:	0.1
Relative density:	<1	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Sources of ignition. Flames. Humidity.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

REMOVER & DEGREASER

Page: 6

D-LIMONENE

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	4400	mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

HYDROCARBONS, C13-C18, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

DERMAL	RAT	LD50	2001	mg/kg
ORAL	RAT	LD50	2001	mg/kg
VAPOURS	RAT	LC50	5001	mg/l

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

D-LIMONENE

Daphnia magna	48H EC50	0.67	mg/l
Daphnia magna	72H ErC50	150	mg/l
FISH	96H LC50	0.7	mg/l

REMOVER & DEGREASER

Page: 7

HYDROCARBONS, C13-C18, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

FISH	LC50	>100	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	28 days	>1000	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Very toxic to aquatic organisms. Very toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company. Refer to local regulations for the disposal of aerosols.
Recovery operations:	No data available
Waste code number:	16 05 05
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS, Flammable

14.3. Transport hazard class(es)

Transport class: 2.1

14.4. Packing group

Packing group: n/a

REMOVER & DEGREASER

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: No data available.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: No data available

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information	
Other information:	Contains only FDA listed ingredients. NSF C1 registered.
	EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on
	the approximation of the laws of Member States relating to aerosol dispensers.
	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	Compiled in accordance with REACH.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H229: Pressurised container: May burst if heated
	H280: Contains gas under pressure; may explode if heated.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.